

Neil Blandford's Technical Comments on Goliad Project's Well's Pump Test

jose torres to: Philip Dellinger, Ray Leissner

07/31/2012 11:14 PM

Cc: Jose Torres

From:

jose torres <jetmnn0@yahoo.com>

To:

Philip Dellinger/R6/USEPA/US@EPA, Ray Leissner/R6/USEPA/US@EPA

Cc:

Jose Torres/R6/USEPA/US@EPA

2 attachments

PDF

120731GoliadProjectsPA1Contours07&08_0001.pdf 120731GoliadProjectsPA1Contours07&08_0002.pdf

Hello Phil:

The attachments are excerpts from a report prepared and presented by Neil Blandford of Daniel B. Stephens & Associates, Inc. on behalf of the Goliad County Groundwater Conservation District (GCGCD). Blandford was one of the attendees to the meeting of February 28, 2011, between GCGCD officers and their expert witnesses, and members of the Region's technical staff.

As you can see, one of the maps in Blandford's presentation illustrates a piezometric surface that indicates flow in the aquifer in the SE direction. This piezometric surface was apparently in the operator's application package in 2007. The map indicates that piezometric surface data were submitted by the operator in 2008 which seems to support flow in the aquifer towards the East. I do not know if we have information justifying on a technical basis the change.

One other thing to look for in Blandford's presentation is his analysis of the discussion presented by the applicant in connection with the pump test of a well inside the perimeter of proposed PA-1. Blandford points to the characteristic of the curve recorded for a well located to the West of the pumped well. This curve, Blandford points out, supports a conclusion that contradicts the one presented in the operator's report. Blandford seems to indicate that the test actually proved communication between Sands A and B at the proposed PA-1.

Finally, Blandford refers to the characteristics of the flow inside the two sands pointing to the crossflow between sands made possible by the presence of improperly plugged exploration wells and seepage. He also discusses some modeling runs. Hope this helps.


The hard copy of Blandford's presentation is over my


00599. pdf

workbench in my cube, along with a loose page illustrating the location of the wells in PA-1, with the pumped and observation wells highlighted in yellow, should you choose to examine them. Hope this helps.

JETorres - 6WQ-SG

P.S.: As it has happened before, my Lotus Notes refused to transmit this message, so, I am resorting to my personal e-mail, which may do the job.





testing for PA-1 Application (Sand B)

• p. 4-2; "it is necessary to establish that there is no communication between the fluids in the ore

water in overlying aquifers"

p. 4-22; "the pumping tests in PTW-1 and PTW-6

already are the demonstrates that there is no communication
between the overlying Sand A aquifer and sand aquifers"



Daniel B. Stephens & Associates, Inc.

 p. 4-23; "Figure 4-10 shows that there was a very slight increase in water levels in OMW-1 during the PTW-1 test. If there were hydraulic communication between the pumped Sand B and Sand A, there would be an obvious decline in the water level of OMW-1"



Daniel B. Stephens & Associates, Inc.




Figure 4.10. Water level drawdown and recovery from the Hermit data logger for the PTW-1 test.

GOLIAD TCEO HEARING

Plot of Drawdown Through Time for PTW-1 Aquifer Test from UEC PA-1 Application


Daniel B. Stephens & Associates, Inc.

Exhibit GCGCD Blandford H

- Numerical simulation of the PTW-6 test indicates that expected drawdown in Sand A monitor well OMW-9 would be 0.05 ft or less due to the pumping from Sand B well PTW-6 for the test
- Claims made by applicant regarding vertical communication between Sand B and overlying Sand A are not substantiated by their aquifer testing



Daniel B. Stephens & Associates, Inc.



Daniel B. Stephens & Associates, Inc. 2/17/2010 JN LT09 0107 Aquifer Test Well Locations Considered in the Drawdown Modeling

Exhibit GCGCD Blandford F



Neil Blandford's Technical Comments on Goliad Project's Well's Pump Test jose torres to: Philip Dellinger, Ray Leissner 07/31/2012 11:14 PM

Cc: Jose Torres

From:

jose torres <jetmnn0@yahoo.com>

To:

Philip Dellinger/R6/USEPA/US@EPA, Ray Leissner/R6/USEPA/US@EPA

Cc:

Jose Torres/R6/USEPA/US@EPA

2 attachments

PDF

120731GoliadProjectsPA1Contours07&08_0001.pdf 120731GoliadProjectsPA1Centours07&08_0002.pdf

Hello Phil:

The attachments are excerpts from a report prepared and presented by Neil Blandford of Daniel B. Stephens & Associates, Inc. on behalf of the Goliad County Groundwater Conservation District (GCGCD). Blandford was one of the attendees to the meeting of February 28, 2011, between GCGCD officers and their expert witnesses, and members of the Region's technical staff.

As you can see, one of the maps in Blandford's presentation illustrates a piezometric surface that indicates flow in the aquifer in the SE direction. This piezometric surface was apparently in the operator's application package in 2007. The map indicates that piezometric surface data were submitted by the operator in 2008 which seems to support flow in the aquifer towards the East. I do not know if we have information justifying on a technical basis the change.

One other thing to look for in Blandford's presentation is his analysis of the discussion presented by the applicant in connection with the pump test of a well inside the perimeter of proposed PA-1. Blandford points to the characteristic of the curve recorded for a well located to the West of the pumped well. This curve, Blandford points out, supports a conclusion that contradicts the one presented in the operator's report. Blandford seems to indicate that the test actually proved communication between Sands A and B at the proposed PA-1.

Finally, Blandford refers to the characteristics of the flow inside the two sands pointing to the crossflow between sands made possible by the presence of improperly plugged exploration wells and seepage. He also discusses some modeling runs. Hope this helps.


The hard copy of Blandford's presentation is over my

workbench in my cube, along with a loose page illustrating the location of the wells in PA-1, with the pumped and observation wells highlighted in yellow, should you choose to examine them. Hope this helps.

JETorres - 6WQ-SG

P.S.: As it has happened before, my Lotus Notes refused to transmit this message, so, I am resorting to my personal e-mail, which may do the job.

Q. PROJECTS LT09.0107_GOLIAD_COUNTY VR_DRAWINGS LT09_0107W_01W_SCHEM_RA-226_MIGRATION_IN_GW.CDR Early Exploration Borehole RBLB-3 OMW-1 OMW-8 **Sand A Confining Unit** Sand B Confining Unit Ore Body **GOLIAD TCEQ HEARING** Not to Scale **Schematic Diagram of Groundwater** Flow Through Sands A and B Daniel B. Stephens & Associates, Inc. 2-25-11 JN LT09.0107



Notes: Kx = horizontal hydraulic conductivity

Kz = verical hydraulic conductivity

Ss = specific storage

Sy = specific yield

GOLIAD TCEO HEARING

Cross Section of Groundwater Model Used for PTW-6 Aquifer Test Analysis

1

Daniel B. Stephens & Associates, Inc.

Exhibit GCGCD Blandford G